Smart Chime

Smart Chime


EZVIZ Video Doorbell Companion





Specifications

Model Parameters



Protocol EZVIZ cloud proprietary protocol

Interface Protocol EZVIZ cloud proprietary protocol

Smart Chime

Storage No

Wired Network Does not support

Power Supply Interface EU/US/UK Standard Plug

Wi-Fi

Wi-Fi Standard IEEE802.11b / g / n

Frequency Range 2.4 GHz ~ 2.4835 GHz

Channel Bandwidth Supports 20 MHz

Security 64/128-bit WEP, WPA / WPA2, WPA-PSK / WPA2-PSK

Transmission Rate 11b: 11Mbps, 11g: 54Mbps, 11n: 144Mbps

Antennas Dual External Antennas

General

Operating Conditions Temperature: -10°C to 40°C (14°F to 104 °F), Humidity: 95% or less (non-condensing)

Power Supply 100V - 240V AC

Power Consumption Max 0.6W

Dimension $100 \times 55 \times 35 \text{ mm} (3.94 \times 2.17 \times 1.38 \text{ inch})$

Weight 120 g (4.23 oz)

We provide you with customized service and safe user experience with Cookie. Login and browse our website indicates that you permitted us getting information in/out the website with Cookie.

Please visit Use of Cookies

In the box: Chime; Quick Start Guide

Cartifications:

Smart Chime

Certifications: UL / FCC / CE / WEEE / REACH / RoHS

 Product Categories
 About EZVIZ
 Support Center
 Connect with EZVIZ
 Follow us on social media

 Security Cameras
 Who We Are
 FAQs
 EZVIZ App

 Smart Home
 Contact Us
 Download
 CloudPlay

Data Security

EZVIZ Green

Influencer Program

Privacy Policy | Use of Cookies | Terms of Service | Legal Copyright © 2024 EZVIZ Inc. All rights reserved ⊕ Global-English ▼



We provide you with customized service and safe user experience with Cookie. Login and browse our website indicates that you permitted us getting information in/out the website with Cookie.

Please visit Use of Cookies