



## ST-260 Stand-alone Stainless Steel Proximity Access Control System



Night vision



- Glowing bar and buzzer indicator.
- 8 sets of door opening password available for user to set.
- 2,000 cards capacity (2,000 random numbers).
- Stainless steel case.
- Anti-duress function and anti-tamper signal output.
- Stainless steel case with multiple waterproof design (IP62) which is able to mount outdoors or indoors.
- Stainless steel translucent buttons and 5 door opening modes.


### Specification

- Power Supply : DC 12V  $\pm 15\%$
- Frequency : 125KHz or 13.56MHz .
- Door closing time: 00-99 seconds.
- Card capacity: 2000
- SUS304 Stainless steel case.
- Operation mode: standalone
- Dimensions: 115L  $\times$  70W  $\times$  30.5H (mm).
- Weight: 315g (included wrapping).
- Power consumption : 100mA (standby);  
125mA (operation)  $\pm 5\%$
- Five door opening methods:
  1. Password
  2. Proximity card
  3. Proximity card and password
  4. Password or proximity card
  5. Special system password
- Door opening password:  
8 sets of 4-digit door opening password
- Input point:
  1. Exit push button
  2. Anti-theft detection
  3. Door sensing input
  4. LED control(Orange)
- Output point:
  1. Door open connector
  2. Alarm output
  3. Anti-tamper alarm output
  4. Anti-Duress alarm output
- Keyboard: 3  $\times$  4, 12 stainless steel translucent buttons.

### Series Model

- ST-260:125KHz Em Marin format

### Panel



### Structure diagram

