


Products Description



PoE15F PoE Injector delivers up to 15W output power port. By using this device, both data and electrical power can be simultaneously delivered through a single CAT5 (or better) Ethernet cable to a non-PoE Ethernet-enabled device, eliminating the trouble to connect it to an outlet nearby with an external power cord. Above all, It could automatic detect whether the PD within the PoE receiving function, If not, it won't deliver power for safety. You can connect it to a wireless AP, Web cam (IP Camera), IP telephone, or other IEEE802.3af compliant devices for the purpose of reducing installation cost and improving your network performance



Features

- >> Complies with IEEE802.3, IEEE802.3u IEEE802.3ab standards
- >> 2 RJ-45 ports provide 10/100Mbps link rate;
- >> Plug and Play Installation
- >> Delivers both data and electrical power using a single Ethernet cable


Specifications

Model No.	PoE15F
Description	PoE Injector
Standard and protocol supported	Compatible with IEEE802.3, IEEE802.3u Standard
Features	Support the powered devices compatible with IEEE802.3af Standard
	Transmission range up to 100M
	Power output can be matched automatically
	Plug and play
Port	1 FE port
	1 data&power output port supporting PoE
Indicators	Power
Dimension(W*D*H)	84.5*44*29.8 mm. (3.32*1.73*1.17 in)
Power output	15W (Max. 48VDC)
Operating temperature	0°C~40°C
Storage temperature	-40°C~70°C
Relative humidity(Operational)	10%~90% (noncondensing)
Relative humidity(Storage)	5%~90% (noncondensing)

Applications


1 - Power PD

Switch (connect PCs) ---- PoE15F ---- IP telephone



2 - Power wireless AP

Switch (connect PCs) ---- PoE15F ---- Wireless AP (W301A)



3 - Power IP telephone or IP camera

Switch (connect PCs)--- PoE15F ---IP camera

