

Solo Smoke Detector Tester

# SAFETY DATA SHEET

SDS0098UK

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 2015/830

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

### 1.1 Product identifier

Product Name	Solo Smoke Detector Tester.
Trade Name	Solo A10 –XXX, Solo A10 <sup>s</sup> -XXX (XXX denotes customer variant).
CAS No.	Mixture.
EINECS No.	Mixture.
REACH Registration No.	None assigned.

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s)	Smoke simulation.
Uses Advised Against	None known.

### 1.3 Details of the supplier of the safety data sheet

Company Identification	Detectortesters (No Climb Products Ltd) Edison House 163 Dixons Hill Road Welham Green Hertfordshire AL9 7JE. United Kingdom
Telephone	+44 (0) 1707 282760
Fax	+44 (0) 1707 282777
E-Mail (competent person)	SDS@detectortesters.com

### 1.4 Emergency telephone number

Emergency Phone No.	+44 (0) 1707 282760
---------------------	---------------------

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture Regulation (EC) No. 1272/2008 (CLP)

Aerosol 3; Pressurised container: May burst if heated.

### 2.2 Label elements

According to Regulation (EC) No. 1272/2008 (CLP)

Hazard Pictogram(s)



GHS07

Signal Word(s)

Warning.

Hazard Statement(s)

H229: Pressurised container: May burst if heated.

Precautionary Statement(s)

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking..

P251: Pressurised container - Do not pierce or burn, even after use.

P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50°C.

### 2.3 Additional Information

9.1% by mass of the contents are flammable:

Keep out of reach of children.

### 2.4 Other hazards

High concentrations: May cause drowsiness and dizziness.

## SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

## Solo Smoke Detector Tester

Product as supplied: Aerosol.

### 3.1 Mixtures

EC Classification No. 1272/2008

Hazardous Ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard Pictogram(s) and Hazard Statement(s)
(1E)-1,3,3,3-Tetrafluoro-1-propene	85-95	29118-24-9	212-377-0	None assigned.	GHS04, Press. Gas: H280
Ethanol	1-10	67-63-0	200-661-7	None assigned	GHS02, Flam. Liq. 2; H225,

### 3.2 Additional Information

For full text of H/P Statements see section 16.

## SECTION 4: FIRST AID MEASURES



### 4.1 Description of first aid measures

Inhalation

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, obtain medical attention.

Skin Contact

Wash skin with soap and water.

Eye Contact

Flush eyes with water for at least 15 minutes while holding eyelids open. If eye irritation persists, get medical advice/attention.

Ingestion

Unlikely route of exposure.

### 4.2 Most important symptoms and effects, both acute and delayed

None anticipated.

### 4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

Pressurised container: May burst if heated.

### 5.1 Extinguishing media

Suitable Extinguishing media

Extinguish with carbon dioxide, dry chemical, foam or waterspray.

Unsuitable extinguishing media

None known.

### 5.2 Special hazards arising from the substance or mixture

Heating may cause pressure rise with risk of bursting. May decompose in a fire giving off toxic fumes.: Hydrogen fluoride.

### 5.3 Advice for fire-fighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

The product is an aerosol. It is unlikely to present spillage or leakage hazard. In case of rupture, released content should be contained as any other solvent spill.

### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Avoid inhalation of high concentrations of vapours.

### 6.2 Environmental precautions

Do not release large quantities into the surface water or into drains.

### 6.3 Methods and material for containment and cleaning up

Collect mechanically and dispose of according to Section 13. Adsorb spillages onto sand, earth or any suitable adsorbent material. Containers must not be punctured or destroyed by burning, even when empty.

### 6.4 Reference to other sections

See Also Section: 8, 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use.

### 7.2 Conditions for safe storage, including any incompatibilities

Storage temperature

Ambient. Protect from sunlight. Do not expose to temperatures exceeding 50°C.

Storage life

Stable under normal conditions.

## Solo Smoke Detector Tester

7.3	Incompatible materials	None known.
	<b>Specific end use(s)</b>	Smoke simulation.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

##### 8.1.1 Occupational Exposure Limits

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note
Ethanol	64-17-5	1000	1920	-	-	WEL: Workplace Exposure Limit (UK HSE EH40)
Propane-1,2-diol	57-55-6		10	-	-	WEL: Workplace Exposure Limit (UK HSE EH40)

##### 8.1.2 Biological limit value

Not established.

##### 8.1.3 PNECs and DNELs

Not established.

#### 8.2 Exposure controls

##### 8.2.1 Appropriate engineering controls

Provide adequate ventilation.

##### 8.2.2 Personal protection equipment

Eye/ face protection

If eye contact is likely: Wear protective eyewear (goggles, face shield, or safety glasses).



Skin protection (Hand protection/ Other)

Wear suitable gloves if prolonged skin contact is likely. Gloves: Nitrile rubber, NBR.



Respiratory protection

No personal respiratory protective equipment normally required. Handling of larger amounts: In case of insufficient ventilation, wear suitable respiratory equipment. A suitable mask with filter type A (EN14387 or EN405) may be appropriate.



Thermal hazards

Not applicable.

##### 8.2.3 Environmental Exposure Controls

Avoid release to the environment.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Appearance	Aerosol.
Colour.	Colourless.
Odour	Characteristic.
Odour Threshold (ppm)	Not determined.
pH (Value)	Not determined.
Melting Point (°C) / Freezing Point (°C)	Not determined.
Initial boiling point and boiling range	-19°C.
Boiling Point (°C)	
Flash Point (°C)	>55°C.
Evaporation rate	Not applicable.
Flammability (solid, gas)	Non-flammable; tested to 2008/47/EC Annex 1.9.1(iii)
Upper/lower flammability or explosive limits	Not determined.
Vapour pressure	4192hPa @ 20°C
Vapour density	Not determined.
Relative density	Not determined.
Density	1.08g/cm <sup>3</sup>
Solubility(ies)	Immiscible or partly miscible with water.
Partition Coefficient (n-Octanol/water)	Not determined.
Auto Ignition Point (°C)	Product is not selfigniting.
Ignition temperature	368°C
Decomposition Temperature (°C)	Not determined.
Dynamic viscosity	Not determined.
Kinematic Viscosity	Not determined.

## Solo Smoke Detector Tester

Explosive properties	Not explosive. Pressurised container: May burst if heated.
Oxidising properties	Not oxidising.
<b>9.2 Other information</b>	
Organic solvents - Content	9.9%

### SECTION 10: STABILITY AND REACTIVITY

<b>10.1 Reactivity</b>	Stable under normal conditions.
<b>10.2 Chemical stability</b>	Stable under normal conditions.
<b>10.3 Possibility of hazardous reactions</b>	No hazardous reactions known if used for its intended purpose.
<b>10.4 Conditions to avoid</b>	Heat and direct sunlight.
<b>10.5 Incompatible materials</b>	None anticipated.
<b>10.6 Hazardous decomposition product(s)</b>	No hazardous decomposition products known.

### SECTION 11: TOXICOLOGICAL INFORMATION

<b>11.1 Information on toxicological effects</b>	
<b>11.1.1 Mixtures</b>	
Acute toxicity	Low acute toxicity.
Irritation	Non-irritant.
Corrosivity	Not classified.
Sensitisation	It is not a skin sensitiser.
Repeated dose toxicity	None anticipated.
Carcinogenicity	No evidence of carcinogenicity.
Mutagenicity	There is no evidence of mutagenic potential.
Reproductive toxicity	None anticipated.
<b>11.2 Other information</b>	None.

### SECTION 12: ECOLOGICAL INFORMATION

<b>12.1 Toxicity</b>	Low toxicity to aquatic organisms.
<b>12.2 Persistence and degradability</b>	No information available.
<b>12.3 Bioaccumulative potential</b>	No information available.
<b>12.4 Mobility in soil</b>	No information available.
<b>12.5 Results of PBT and vPvB assessment</b>	Not classified as PBT or vPvB.
<b>12.6 Other adverse effects</b>	None.





### SECTION 13: DISPOSAL CONSIDERATIONS

<b>13.1 Waste treatment methods</b>	Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even when empty. Non-emptied aerosol: Dispose of wastes in an approved waste disposal facility. Do NOT landfill.
<b>13.2 Additional Information</b>	Disposal should be in accordance with local, state or national legislation.

### SECTION 14: TRANSPORT INFORMATION

<b>14.1 UN number</b>	
ADR, IMDG, IATA	UN 1950.
<b>14.2 UN proper shipping name</b>	
ADR	1950 AEROSOLS
IMDG	AEROSOLS
IATA	AEROSOLS, Non-flammable.
<b>14.3 Transport hazard class(es)</b>	
ADR	
Class / Classification	2 5A Gases.
Label	2.2
IMDG, IATA	
Class / Division	2.2
Label	2.2
<b>14.4 Packing group</b>	
ADR, IMDG, IATA	None.

## Solo Smoke Detector Tester

<b>14.5 Environmental hazards</b>	Marine Pollutant	None.
<b>14.6 Special precautions for user</b>	Kemler Code	Warning: Gases
	IMDG EMS	-
<b>14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>		F-D, S-U
<b>14.8 Additional Information</b>		Not applicable.
<b>ADR</b>	Limited Quantity (LQ)	1L
		
ADR Transport Category		3
Tunnel Restriction Code		Not applicable in Limited Quantities.
<b>IMDG</b>	Limited Quantity (LQ)	1L
		
<b>IATA</b>	Limited Quantity (LQ)	1L
		 
UN Model Regulation		UN 1950, AEROSOLS

## SECTION 15: REGULATORY INFORMATION

<b>15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture</b>	
<b>15.1.1 EU regulations</b>	
Authorisations and / or Restrictions On Use	Not listed.
Candidate List of Substances of Very High Concern for Authorisation	Not listed.
REACH: ANNEX XVII restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles	Not listed.
REACH: ANNEX XIV list of substances subject to authorisation	Not listed.
Community Rolling Action Plan (CoRAP)	None known.
<b>15.1.2 National regulations</b>	
Technical Instructions (air)	
VOC-CH	9.49%
VOC-EU	102.5g/l
Danish MAL Code	0-1
<b>15.2 Chemical Safety Assessment</b>	Not available.

Class	Share in %
NK	5 - <10

## SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

### LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
DNEL	Derived No Effect Level

## Solo Smoke Detector Tester

PNEC	Predicted No Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative
VOC	Volatile Organic Compounds
MAL Code	Regulation for the labeling concerning inhalation hazards, Denmark
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
IMDG	International Maritime Code for Dangerous Goods
IATA	International Air Transport Association
Aerosol 3	Aerosol Category 3
Flam. Liq. 2	Flammable Liquid Category 2

### Hazard Statement(s)

H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H335	May cause respiratory irritation.

### Disclaimers

The information is based on the best knowledge of No Climb Products Ltd. and its advisors and is given in good faith, but we cannot guarantee its accuracy, reliability or completeness and therefore disclaim any liability for loss or damage arising out of use of this data. Since conditions of use are outside the control of the Company and its advisors we disclaim any liability for loss or damage when the product is used for purposes other than it is intended.

### Annex to the extended Safety Data Sheet (eSDS)

No information available.