


IP-COM

Installation Guide

16-Port Gigabit Unmanaged Switch/
24-Port Gigabit Unmanaged Switch

CS0001 CS1000 CS1004 CS1008

The product registration information is provided for your reference.
Tel: 00353 90 93 1000 www.ip-com.com



English Product Overview

LED	Status	Description
POWER	DN	Power supply is provided to the device properly.
	OFF	Power supply is not provided to the device properly.
Port 1-16/24	Solid	Indicates the corresponding port is connected.
	OFF	Indicates no connection is established.
	Blinking	Indicates the corresponding port is connected and transferring data.

Português Visão Geral do Produto

LED	Estado	Descrição
Energia	Ligar	Fonte de alimentação é fornecida para o dispositivo corretamente.
	Desligar	Fonte de alimentação não está prevista o dispositivo corretamente.
Porte 1-16/24	Sólido	Indica que o porte correspondente está ligado.
	Desligar	Indica que não há conexão estabelecida.
	Piscando	Indica que o porte correspondente é ligado e a transferência de dados.

Español Descripción del producto

LED	Estado	Descripción
Energía	Encendido	La fuente de alimentación se proporciona para el dispositivo adecuado.
	Apagado	La fuente de alimentación no se proporciona para el dispositivo adecuado.
Puerto 1-16/24	Sólido	Indica que el puerto correspondiente está conectado.
	Apagado	Indica que se ha establecido ninguna conexión.
	Papadeo	Indica que el puerto correspondiente está conectado y transfiriendo los datos.

Italiano Panoramica del prodotto

LED	Stato	Descrizione
Alimentazione	Accesso	L'alimentazione per il dispositivo è fornita correttamente.
	Spento	L'alimentazione per il dispositivo non è fornita correttamente.
Porta 1-16/24	Solido	Indica che la porta corrispondente è collegata.
	Spento	Indica che nessuna connessione è stabilita.
	Lamppeggiante	Indica che la porta corrispondente è collegata e sta trasferendo dati.

Français Présentation du produit

LED	Etat	Description
Alim. élec.	Allumé	L'alimentation est bien fournie pour le dispositif.
	Eteint	L'alimentation n'est pas encore fournie pour dispositif.
Porte 1-16/24	Solide	Indique que le port correspondant est bien connecté.
	Eteint	Indique que aucune connexion n'est établie.
	Cilignotant	Indique que le port correspondant est connecté et en train de transmettre les données.

Deutsch Produktübersicht

LED	Stand	Beschreibung
POWER	Ein	Stromversorgung funktioniert einwandfrei.
	Aus	Stromversorgung funktioniert nicht einwandfrei.
Anschluss 1-16/24	Stabil	Idie entsprechende Port ist angeschlossen.
	Aus	Keine Verbindung.
	Blinkt	Die entsprechende Port ist angeschlossen und überträgt Daten.

Polski Przegląd produktów

LED	Status	Opis
Moc	Włączony	Zasilanie jest normalne.
	Wyłączony	Zasilanie nie jest normalne.
Porty 1-16/24	Stały	Wskazuje, że port połączony.
	Wyłączony	Wskazuje na brak portu połączenia.
	Migające	Wskazuje, że port połączony i transmisji danych.

Magyar Termék áttekintés

LED	Státusz	Leírás
Teljesítmény	Bekapcsol	Tápellátás normális.
	Leállítja	Tápellátás nem normális.
Portok 1-16/24	Szállad	Jelöl, hogy az adott port csatlakozott.
	Leállítja	Jelöl, hogy a kapcsolát nem állt lezár.
	Világít	Jelöl, hogy az adott port csatlakoztatott van és adatátvitel folyik.

Русский Краткая информация о продукте

ВЕТОДИ	Состояние	Описание
Источники питания	Вкл	Электронное питание подается на устройство должным образом.
	Выкл	Электронное питание не подается на устройство должным образом.
Интерфейсы	Интерпретировать	Указывает на подключение соответствующего порта.
Порт 1-16/24	Вкл	Указывает на отсутствие подключения.
	Мигающий	Указывает на подключение соответствующего порта и передачу информации.

Română Prezintărea produsului

LED	Stare	Descriere
Putere	Pornire	Dispozitivul este alimentat corectuzator.
	Oprire	Dispozitivul nu este alimentat corectuzator.
Porturi 1-16/24	Solid	Portul corespunzător este conectat.
	Oprire	Nicio conexiune nu a fost stabilită.
	Lumina intermitentă	Portul corespunzător este conectat și transferul de date este activ.

Türkçe Ürün Genel Bakış

LED	Durum	Tanım
Güç	Açık	Güç kaynağı normaldir.
	Kapalı	Güç kaynağı normal değildir.
Portlar 1-16/24	Sürekli Yanıyor	Yüzeye kablosuz bağlı olduğunu gösterir.
	Kapalı	Bağlantı olmadığnı gösterir.
	Yanak Sönüyor	Yüzeye kablosuz bağlı ve data transferi olduğunu gösterir.

Specifications	CS1000/CS1004	CS1008/CS1008P
Standard	IEEE802.3/10/100	IEEE802.3/10/100
Interface	16 RJ45 ports (Auto MDI/MDIX)	16 RJ45 ports (Auto MDI/MDIX)
Transmission Mode	10BASE-T/100BASE-TX/1000BASE-T/1000BASE-TX/10GBase-T	10BASE-T/100BASE-TX/1000BASE-T/1000BASE-TX/10GBase-T
Forwarding Rate	138Mbps/138Mbps/138Mbps/138Mbps/138Mbps	138Mbps/138Mbps/138Mbps
LEDs	16 LEDs (Green/Red/Amber)	16 LEDs (Green/Red/Amber)
Transmission Method	Store and Forward	Store and Forward
Advanced Feature	Supports 180-jumbo frame	Supports 180-jumbo frame
Stacking Feature	Stacking compatible with other IP-COM switches	Stacking compatible with other IP-COM switches
Stacking Feature	Supports 180-jumbo frame	Supports 180-jumbo frame
Power Information	AC 100V-240V 0.4A 50/60Hz	AC 100V-240V 0.7A 50/60Hz
Dimensions	133mm x 133mm x 44mm	133mm x 133mm x 44mm
Operating Temperature	0°C~40°C	0°C~40°C
Storage Temperature	-40°C~70°C	-40°C~70°C
Relative Humidity	5%~95% non-condensing	5%~95% non-condensing

Safety and Emission Statement

CE

Caution
This is a Class A product. In a domestic environment, this product may cause radio interference, in which case the user may be required to take adequate measures.

NOTE: The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications to this equipment. (2) To avoid electromagnetic interference, do not connect this cable to other equipment.

RECYCLING
This product bears the relative recycling symbol for waste electrical and electronic equipment (WEEE). This means that this product can be handled according to European directive 2002/96/EC in order to be recycled or dismantled to minimize its impact on the environment.

Use has the choice to give his product to a competent recycling organization or to the retailer when he buys a new electrical or electronic equipment.

EMC

Operating Temperature: 0°C - 40°C
Operating Humidity: 5% RH - 95% RH non-condensing

FC Statement

This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause some interference, in which case you may need to take some corrective actions to avoid such interference.

The device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause occasional degradation of performance.

Caution
Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

NOTE: (1) The manufacturer is not responsible for any radio or TV interference caused by unauthorized modification to this equipment. (2) To avoid unnecessary radiation interference, this is recommended to use a shielded LAN cable.

Technical Support
Tel: 00353 90 93 1000
Email: info@ip-com.com
Website: http://www.ip-com.com

Address Info
IP-COM Sales Ltd., Unit A, First Floor, Tower 12, MEI 2003, Zhongguangyuan Road, Haidian District, Shenzhen, China. 518003

©2021 IP-COM Networks Co., Ltd. All rights reserved.
This document contains IP-COM's confidential information, and its use is restricted to the intended internal design, operational function, and/or reliability. IP-COM reserves the right to make changes to the products described in this document without obligation to notify any person or organization of such modifications or changes.